

---

# AMPS Command Reference Guide

60East Technologies

5.2

Copyright © 2017

All rights reserved. 60East, AMPS, and Advanced Message Processing System are trademarks of 60East Technologies, Inc. All other trademarks are the property of their respective owners.

May 23, 2017

## 1. AMPS Command Reference Guide

This guide includes a listing of all AMPS commands as well as the required and optional parameters. AMPS supports a consistent set of commands and options regardless of the protocol used to communicate with AMPS. This guide covers the semantics of the commands and options, but does not cover how those commands and options are represented in any particular protocol. Each protocol uses a different concrete format for messages, and that format is specific to the protocol.

To use a command from your application, set the properties of the Command object as shown in this guide, the use the execute function to send the command. The AMPS client is responsible for interpreting the command and formatting the message to AMPS in the proper format for the specific protocol the client is using.

## 2. Commands

### Logging On

#### logon

##### Description

To help identify clients and users, it is recommended that clients send a `logon` command to the AMPS engine and specify a client name.

AMPS only allows a single `logon` command for each connection. The `logon` command must be the first command sent over a new connection. Otherwise, AMPS performs an implicit `logon`, causing any other `logon` commands for the connection to be rejected.

In AMPS configurations where authentication is enabled, all connecting clients must issue a `logon` message with the `username` and `password` credentials specified in the command. Attempts to logon to an AMPS instance that do not contain the information required will be rejected and prohibited from issuing further commands until a successful `logon` has been placed.

If an AMPS client is connected to an instance that has journaling enabled, the `ClientName` specified *must* be unique - otherwise, the `logon` will fail. In the failure case, the acknowledgement message returned will contain a `Status` of 'failure' and a `Reason` of 'name in use'.

It is recommended that all `logon` commands request that a processed acknowledgement message be requested in the `AckType` header of the `logon` message. This will allow AMPS to communicate the result of the `logon` command to the client, allowing the client to determine how to best proceed.

## Header Fields

Table 1 contains the header fields available to a `logon` command.

**Table 1. Header fields supported by `logon`**

Field	Description
<code>Command</code>	The command to be executed. Value: <code>logon</code> .
<code>ClientName</code>	A string identifier used to give a client a unique id. AMPS does not limit the character set used in this name. However, the specific protocol may have character set limitations. 60East recommends that the client name is meaningful, short, human readable, and avoids using control characters, newline characters, or square brackets.
<code>AckType</code>	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> or <code>processed</code> .
<code>SequenceId</code>	The sequence ID of the last message received by the client. Passing in the sequence ID of the last processed bookmark will cause AMPS to replay the transaction log from the bookmark up to the most recent message persisted in the transaction log.
<code>UserId</code>	The username passed into the AMPS authentication and entitlement module.
<code>Password</code>	The password passed into the AMPS authentication and entitlement module.
<code>CorrelationId</code>	A user-provided string that will be included in the log message recording this <code>logon</code> , and in the information provided for the connection in the administration interface. AMPS does not interpret this string or use the string for any other purpose. If this header is not present, AMPS does not store a value for the <code>CorrelationId</code> for this connection. The contents of this header must consist of characters that are legal in Base64 encoding.

## Returns

A `logon` message specifying an `AckType` of `received` or `processed` will receive an ack message to acknowledge the message receipt. If a client requests an acknowledgment message, the header will also contain the `ClientName` which was part of the original `logon` message.

When requested, the `logon` command will result in a `processed` acknowledgment message. This returned acknowledgment is used in determining if a client was successfully authenticated against a server which has an authentication module enabled.

Table 2 contains the acknowledgment messages that can be returned by a `logon` command.

**Table 2. Acknowledgment messages supported by Logon**

<b>Acknowledgment</b>	<b>Description</b>
none	No ack message is returned. This is the default behavior.
completed	Not supported at this time.
persisted	Not supported at this time.
processed	AMPS has processed the logon message.
received	The logon command has been received.
stats	Not supported at this time.

## Publishing to AMPS

### delta\_publish

#### Description

The `delta_publish` command is a way of publishing an incremental update to a record. If a client uses `delta_publish` to publish an update, AMPS first extracts the key fields from the record and does a look up for the record in the SOW. AMPS will then apply the update to the SOW record overwriting any field that has a newer value in the update and appending to the record any new fields that were not previously in the SOW record.

If `delta_publish` is used on a record that does not currently exist in the SOW or if it is used on a topic that does not have a SOW-topic store defined, then `delta_publish` will behave like a standard `publish` command.

A `delta_publish` is transparent to other clients and the merged record will be forwarded to matching subscriptions.

#### Header Fields

Table 3 contains the header fields available to a `delta_publish` command.

**Table 3. Header fields used in a delta\_publish**

<b>Field</b>	<b>Description</b>
Command	Command to be executed. Value: <code>delta_publish</code>
Topic	The SOW topic to publish the message to.
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> , <code>completed</code> or <code>stats</code> .
CommandId	If specified with an AMPS command which requests an acknowledgment message, all requested acknowledgment messages will contain the <code>CommandId</code> in the ack response header.

Field	Description
Expiration	An interval used to define the lifetime of a <code>delta_message</code> message. Time period is in seconds.
Sequence	A monotonically increasing number used to identify published messages in a high availability environment.
TransmissionTime	An ISO-8601 datetime used to not the time the message is sent by the client.
CorrelationId	A user-provided string that will be passed, verbatim, to subscribers. If this header is not present, subscribers receive no value for the <code>CorrelationId</code> . The contents of this header must consist of characters that are legal in Base64 encoding.
SowKey	For SOW topics that use an explicit key, the SOW key to use for the message. The contents of this header must consist of characters that are legal in Base64 encoding.

## Returns

For a `delta_publish` message, AMPS will send acknowledgment messages for the following `AckType` fields: `received`, `processed` and `persisted` along with a populated `Status` header field describing the acknowledgment.

Table 4 contains the acknowledgment messages that can be returned by a `delta_publish`.

**Table 4. Acknowledgment messages supported by `delta_publish`**

Acknowledgment	Description
<code>none</code>	No ack message is returned. This is the default behavior.
<code>completed</code>	Not supported at this time.
<code>persisted</code>	When AMPS returns an acknowledgment message of <code>persisted</code> , it guarantees that: <ol style="list-style-type: none"> <li>1. All downstream synchronous replications have acknowledged that the message(s) have been delivered to their respective SOW Topic(s).</li> <li>2. When the publish message has been sent to all available downstream asynchronous replications.</li> </ol>
<code>processed</code>	AMPS has processed the message(s) to be published to the SOW. Any errors which occur in the message will be returned to the client in this acknowledgement message.
<code>received</code>	The <code>delta_publish</code> message has been received.
<code>stats</code>	Not supported at this time.

## Errors

Any errors that occur during this command will be returned in the status of a `processed` acknowledgement message and logged to the log file. Regardless of success or failure, the `processed` acknowledgement message will be returned only if requested by specifying `processed` in the `AckType` field.

## publish

### Description

The `publish` command is the primary way to inject messages into the AMPS processing stream. A `publish` command received by AMPS will be forwarded to other connected clients with matching subscriptions.

### Header Fields

Table 5 contains the header fields available to a `publish` command.

**Table 5. Header fields supported by `publish`**

Field	Description
Command	Command to be executed. Value: <code>publish</code> .
Topic	The topic to publish the message to.
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> , <code>persisted</code> or <code>processed</code> .
CommandId	If specified with an AMPS command requesting an acknowledgment message in response to the <code>publish</code> command, all requested acknowledgment messages will contain the <code>CommandId</code> in the response header.
Expiration	An interval in seconds, used to define the lifetime of a <code>publish</code> message.
SequenceId	A monotonically increasing identifier used in high availability configurations to determine message uniqueness across replicas.
TransmissionTime	An ISO-8601 datetime used to note the time the message is sent by the client.
CorrelationId	A user-provided string that will be passed, verbatim, to subscribers. If this header is not present, subscribers receive no value for the <code>CorrelationId</code> . The contents of this header must consist of characters that are legal in Base64 encoding.
SowKey	For SOW topics that use an explicit key, the SOW key to use for the message. The contents of this header must consist of characters that are legal in Base64 encoding.

### Returns

A client which issues a `publish` can request a processed acknowledgment message; however this is not recommended as there is a significant performance overhead associated with this. Table 6 contains the `AckType` messages which can be returned by a `publish`.

**Table 6. Acknowledgment messages supported by `publish`**

Acknowledgment	Description
<code>none</code>	No ack message is returned. This is the default behavior.
<code>completed</code>	Not supported at this time.
<code>persisted</code>	When AMPS returns an acknowledgment message of <code>persisted</code> , it guarantees that:

Acknowledgment	Description
	<ol style="list-style-type: none"> <li>1. All downstream synchronous replications have acknowledged that the message(s) have been delivered to their respective SOW Topic(s).</li> <li>2. When the <code>publish</code> message has been sent to all available downstream asynchronous replications.</li> </ol>
<code>processed</code>	AMPS has processed the <code>publish</code> message.
<code>received</code>	The <code>publish</code> message has been received.
<code>stats</code>	Not supported at this time.

## Errors

Any errors that occur during this command will be returned in the status of a `processed` acknowledgment and logged to the log file. Regardless of success or failure, the `processed` acknowledgment will be returned only if the request includes the `processed` in the `AckType` field.

## Querying and Subscribing

### `delta_subscribe`

#### Description

The `delta_subscribe` command is like the `subscribe` command except that subscriptions placed through `delta_subscribe` will receive only messages that have changed between the SOW record and the new update.

If `delta_subscribe` is used on a topic which does not have a SOW store defined, then `delta_subscribe` behaves like a `subscribe` command.

#### Header Fields

Table 7 contains the header fields available to a `delta_subscribe` command.

**Table 7. Header fields supported by `delta_subscribe`**

Field	Description
<code>Command</code>	Command to be executed. Value: <code>delta_publish</code>
<code>Topic</code>	Topic with which to place a subscription.
<code>AckType</code>	Acknowledgment type for the <code>delta_subscribe</code> command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> , <code>completed</code> or <code>stats</code> .
<code>CommandId</code>	If specified with an AMPS command requesting an acknowledgment message, all requested acknowledgment messages will contain the <code>CommandId</code> in the acknowledgment response header.
<code>DataOnly</code>	A Boolean ( <code>true</code> or <code>false</code> ) used to determine the type of data sent to the subscriber. A value of <code>true</code> will, for example, not include a SOAP envelope.

Field	Description
Filter	String which is used as a content filter expression. When using XML, the filter must be wrapped in a CDATA.
Options	A comma separated list of flags available to the subscribe command. Table 8 describes the Options available for use in the delta-subscribe command.
SendEmpty	Boolean (true or false) value used to determine whether empty messages which are published will be forwarded to matching subscriptions. The default value is true.
SendSubscriptionIds	Boolean (true or false) subscription identifiers will not be sent for all matched messages if set to false.
SubscriptionId	<p>The subscription ID for this command. When provided with a new subscription, this is the identifier that AMPS will use for the subscription. When provided with the replace option, this field specifies the subscription to replace. When provided with a pause or resume option, this field specifies the subscriptions to pause or resume.</p> <p>For a new subscription, the AMPS clients will generate a subscription ID if one is not provided.</p>
TransmissionTime	An ISO-8601 datetime used to note the time the message is sent by the client.
Bookmark	A bookmark specifying the point in the transaction log at which to start the subscription. If the topic provided is not recorded in a transaction log, AMPS enters the subscription without replaying messages. You can provide a single bookmark, or a comma-delimited list of bookmarks. When a list is provided, AMPS starts the subscription at the earliest bookmark in the list.

## Options Field

Table 8 contains a list of the Options available and their definitions when used in the AMPS `sow_and_delta_subscribe` command.

**Table 8. Options types supported by delta\_subscribe**

Option	Description
none	This is the default Options type.
conflation= <i>n</i>	<p>Specifies whether to conflate this subscription. The value provided can be a time interval, auto, or none</p> <p>When present and set to a value other than none, enables conflation for the subscription.</p> <p>Can also be set to auto, which requests that AMPS attempt to determine an appropriate conflation interval based on client consumption.</p> <p>Recognizes the same time specifiers used in the AMPS configuration file (for example, 100ms or 1s or 1m).</p> <p>Defaults to none.</p>

Option	Description
conflation_key=[keys]	<p>When conflation is enabled, specifies the fields to use to determine message uniqueness. The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to conflate based on the value of the /tickerId and /customerId within a message the value of this option would be [/tickerId,/customerId].</p> <p>Defaults to the SOW key fields for SOW topics. No default for non-SOW topics. This option is required for non-SOW topics.</p>
grouping=[keys]	<p>For use with aggregated subscriptions.</p> <p>The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to aggregate entries based on their /description (producing one record in the aggregation for each distinct value in /description), you would use the following option:</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>When this option is provided, a projection must also be provided.</p>
live	<p>Tells AMPS to send messages to subscribing clients before they have been persisted to the transaction log. This option is only valid for bookmark subscriptions.</p>
max_backlog=n	<p>When subscribing to a queue, the number of unacknowledged messages the client is willing to accept at a time. AMPS will not exceed this number, but may choose a smaller number depending on the queue configuration.</p>
no_empties	<p>Tells AMPS not to send empty publish messages to matching subscriptions. This can be useful for suppressing messages where no fields have changed.</p>
no_sowkeys	<p>Tells AMPS not to send the AMPS-generated SowKey for messages.</p>
oof	<p>Send an OOF message for records which have fallen out of focus from the original subscription.</p>
pause	<p>Pause a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the live option. When this option is present, AMPS pauses the subscription or subscriptions provided in the SubId of the command.</p>
projection=[fields]	<p>For use with aggregated subscriptions.</p> <p>Specifies a comma-delimited set of fields to project, within brackets. Each entry has the format described in the AMPS User Guide.</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>There is no default for this option. When this option is provided, a grouping must also be provided.</p>
rate=n	<p>Set the maximum message delivery rate for a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the live option. The rate can be specified as either the number of messages per second</p>



Option	Description
	(for example, 1000), the number of bytes per second (for example, 100KB), or a multiple of the original replay rate (for example, 1.5X).
replace	Replace the subscription associated with <code>CmdId</code> with another subscription. When provided as part of <code>sow_and_subscribe</code> , AMPS runs a SOW query for the new subscription.
resume	Resume a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. When this option is present, AMPS resumes the subscription or subscriptions provided in the <code>SubId</code> of the command.
send_keys	AMPS will send the SOW keys back with matching messages from the SOW.
timestamp	AMPS will include a header with the time at which AMPS processed the message.

## Returns

For a `delta_subscribe` message, AMPS will send acknowledgment messages for the following `AckType` fields: `received`, `processed`, `persisted` and `stats` along with a populated `Status` header field describing the acknowledgment.

Table 9 contains the `AckType` messages which can be returned by a `delta_subscribe`.

**Table 9. Acknowledgment messages supported by `delta_publish`**

Acknowledgment	Description
none	No ack is returned. This is the default behavior.
completed	When a bookmark is present on the subscribe request and this acknowledgment is requested, AMPS sends a <code>completed</code> acknowledgment message to indicate that bookmark replay is complete. Further messages on this subscription are from new publishes.
persisted	When a bookmark is present and this acknowledgement is requested, AMPS periodically sends a <code>persisted</code> acknowledgement message to indicate the most recent bookmark in the server's transaction log.
processed	AMPS has compiled the filters for the <code>delta_subscribe</code> message(s).
received	The <code>delta_subscribe</code> message has been received.
stats	Returns an acknowledgment message with <code>Matches</code> , <code>TopicMatches</code> and <code>RecordsReturned</code> .

## Errors

Any errors that occur during this command will be returned in the status of a `processed` acknowledgment and logged to the log file. Regardless of success or failure, the `processed` acknowledgment will be returned only if requested by including `processed` in the `AckType` field of the `delta_subscribe` message header.

## sow\_and\_delta\_subscribe

### Description

A `sow_and_delta_subscribe` command is used to combine the functionality of commands `sow` and a `delta_subscribe` in a single command.

The `sow_and_delta_subscribe` command is used (a) to query the contents of a SOW topic (this is the `sow` command); and (b) to place a subscription such that any messages matching the subscribed SOW topic and query filter will be published to the AMPS client (this is the `delta_subscribe` command). As with the `delta_subscribe` command, publish messages representing updates to SOW records will contain only the information that has changed.

If a `sow_and_delta_subscribe` is issued on a record that does not currently exist in the SOW topic, or if it is used on a topic that does not have a SOW-topic store defined, then a `sow_and_delta_subscribe` will behave like a `sow_and_subscribe` command.

### Header Fields

Table 10 contains the header fields supported by a `sow_and_delta_subscribe` command.

**Table 10. Header fields supported by `sow_and_delta_subscribe`**

Field	Description
Command	The command to be executed. Value: <code>sow_and_delta_subscribe</code>
Topic	The target SOW topic to query and subscribe to.
AckType	Acknowledgment type for the given command. Value is a comma separated string of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> , <code>completed</code> or <code>stats</code> .
BatchSize	Number of records to return in a single <code>sow</code> query results message. While the default value is 1, it is recommended to use a higher value, as even small increases can yield greater performance in query result delivery.
Bookmark	A bookmark specifying the historical state of the SOW to return results from. For SOW topics where historical query is enabled, AMPS returns the saved state of the SOW as of that bookmark. For SOW topics where historical query is not enabled, AMPS ignores this parameter.  If the topic is enabled for historical query and AMPS has a transaction log that covers the topic, AMPS returns the saved state of the SOW as of that bookmark and starts a bookmark subscription at a point in the transaction log immediately after the point at which the SOW state was saved. In other words, if the granularity of the historical SOW preserves the state of the SOW at 11:30:10 AM and 11:30:50 AM, a request for a bookmark at 11:30:20 AM will provide the SOW state as of 11:30:10 AM, and begin the replay immediately after that SOW state. This ensures no messages are missed, but means that the subscription may begin before the bookmark.
CommandId	If specified with an AMPS command requesting an acknowledgment message, all <code>ack</code> messages will contain the <code>CommandId</code> in the acknowledgment message.

Field	Description
DataOnly	If true, send only raw data to subscriber for a matching publish message. For example: this will remove the SOAP envelope in an XML message.
Filter	Content filter expression.
Options	A comma separated list of one or more of the following: none, live, no_empties, oof, replace or send_keys. Table 11 describes all of the Options available.
OrderBy	Return the SOW results sorted by the specified fields. Fields are a comma-delimited list of AMPS identifiers, and may optionally include a sort specifier, ASC or DESC.
QueryId	Identifier used to identify the client's SOW topic query. This identifier will be added to all messages that represent a response to the sow_and_delta_subscribe command.
SendEmpty	If set to true, empty published messages are forwarded to matching subscriptions. Default is true.
SendOOF	Messages that have fallen out of focus from the subscription are sent to the client. Default is false.
SendKeys	Option to instruct AMPS that the client would like to receive the SowKey back.
SendSubscriptionIds	If true subscription identifiers will be sent for a matched message.
SowKeys	A comma-delimited list of SowKeys that identify the messages to return from the query. For example, you might send a query with the SowKeys value 42,100,3467 which would return records with those SowKey values, if any exist in the SOW.
SubscriptionId	The subscription ID for this command. When provided with a new subscription, this is the identifier that AMPS will use for the subscription. When provided with the replace option, this field specifies the subscription to replace. When provided with a pause or resume option, this field specifies the subscriptions to pause or resume.  For a new subscription, the AMPS clients will generate a subscription ID if one is not provided.
TopN	Return up to the number of messages specified from the SOW query.
TransmissionTime	An ISO-8601 datetime used to note the time the message is sent by the client.

## Options Field

Table 11 contains a list of the Options available and their definitions when used in the AMPS sow\_and\_delta\_subscribe command.

**Table 11. Options supported by sow\_and\_delta\_subscribe**

Option	Description
none	This is the default Options type.
conflation= <i>n</i>	Specifies whether to conflate this subscription. The value provided can be a time interval, auto, or none

Option	Description
	<p>When present and set to a value other than none, enables conflation for the subscription.</p> <p>Can also be set to <code>auto</code>, which requests that AMPS attempt to determine an appropriate conflation interval based on client consumption.</p> <p>Recognizes the same time specifiers used in the AMPS configuration file (for example, <code>100ms</code> or <code>1s</code> or <code>1m</code>).</p> <p>Defaults to <code>none</code>.</p>
<code>conflation_key=[keys]</code>	<p>When conflation is enabled, specifies the fields to use to determine message uniqueness. The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to conflate based on the value of the <code>/tickerId</code> and <code>/customerId</code> within a message the value of this option would be <code>[/tickerId,/customerId]</code>.</p> <p>Defaults to the SOW key fields for SOW topics. No default for non-SOW topics. This option is required for non-SOW topics.</p>
<code>grouping=[keys]</code>	<p>For use with aggregated subscriptions.</p> <p>The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to aggregate entries based on their <code>/description</code> (producing one record in the aggregation for each distinct value in <code>/description</code>), you would use the following option:</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>When this option is provided, a <code>projection</code> must also be provided. This option cannot be used with a bookmark.</p>
<code>live</code>	<p>Tells AMPS to send messages to subscribing clients before they have been persisted to the transaction log.</p>
<code>no_empties</code>	<p>Tells AMPS not to send empty publish messages to matching subscriptions. This can be useful for suppressing messages where no fields have changed.</p>
<code>no_sowkeys</code>	<p>Tells AMPS not to send the AMPS-generated <code>SowKey</code> for messages.</p>
<code>oof</code>	<p>Send an OOF message for records that have fallen out of focus from the original subscription.</p>
<code>projection=[fields]</code>	<p>For use with aggregated subscriptions.</p> <p>Specifies a comma-delimited set of fields to project, within brackets. Each entry has the format described in the AMPS User Guide.</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>There is no default for this option. When this option is provided, a <code>grouping</code> must also be provided. This option cannot be used with a bookmark.</p>

Option	Description
replace	Replace the subscription associated with <code>CmdId</code> with another subscription.
send_keys	AMPS will send the SOW keys (that is, the data fields used to identify unique messages in the SOW) back with matching messages from the SOW.
timestamp	AMPS will include a header with the time at which AMPS processed the message.

## Returns

AMPS will send acknowledgment messages for the following `AckType` fields: `received` and `processed`, along with a populated `Status` header field describing the acknowledgment message.

If the `sow_and_delta_subscribe` command is successful, AMPS will return a `group_begin` message to notify the client that a group of messages is being returned as part of the `sow` portion of the command. The *SOW Queries* chapter in the *AMPS User Guide* provides more information about SOW topic query behavior. Table 12 contains the `AckType` messages which can be returned by a `sow_and_delta_subscribe`.

**Table 12. Acknowledgment messages supported by `sow_and_delta_subscribe`**

Acknowledgment	Description
none	No ack message is returned. This is the default behavior.
completed	The <code>sow_and_delta_subscribe</code> message has completed the <code>sow</code> portion of the command, and all future messages will be updated based on publishes.
persisted	Not supported at this time.
processed	AMPS has compiled the filter(s) for the <code>sow_and_delta_subscribe</code> message(s).
received	The <code>sow_and_delta_subscribe</code> message has been received.
stats	Returns an ack message with <code>Matches</code> , <code>TopicMatches</code> and <code>RecordsReturned</code> .

The `stats` acknowledgment message includes three values in the header, the `Matches`, `TopicMatches` and the `RecordsReturned`. These are defined below:

**TopicMatches.** The total number of records compared across all matching SOW topics.

**Matches .** The number of records returned that match the topic regular expression and the content filter. This value can be greater than `RecordsReturned` in the case where the number of returned records is limited by `TopN`.

**RecordsReturned .** The total number of records returned to the client, which can be limited by the `TopN` header value.

## Errors

Errors for a `sow_and_delta_subscribe` query are either returned in the `Status` field if an `AckType` has been defined, or the errors may be inserted into the AMPS log.

## sow\_and\_subscribe

### Description

A `sow_and_subscribe` command is used to combine the functionality of `sow` and a `subscribe` command in a single command.

The `sow_and_subscribe` command is used (a) to query the contents of a SOW topic (this is the `sow` command); and (b) to place a subscription such that any messages matching the subscribed SOW topic and query filter will be published to the AMPS client (this is the `subscribe` command). As with the `subscribe` command, publish messages representing updates to SOW records will contain only information that has changed.

### Header Fields

Table 13 contains the header fields supported by a `sow_and_subscribe` command.

**Table 13. Header fields supported by `sow_and_subscribe`**

Field	Description
Command	The command to be executed. Value: <code>sow_and_subscribe</code> .
Topic	The target SOW topic to query and subscribe.
AckType	Acknowledgment type for the given command. Value is a comma separated string of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> , <code>completed</code> or <code>stats</code> .
BatchSize	Number of records to return in a single <code>sow</code> query results message. While the default value is 1, it is recommended to use a higher value, as even small increases can yield greater performance in query result delivery.
Bookmark	A bookmark specifying the historical state of the SOW to return results from. For SOW topics where historical query is enabled, AMPS returns the saved state of the SOW as of that bookmark. For SOW topics where historical query is not enabled, AMPS ignores this parameter.  If the topic is enabled for historical query and AMPS has a transaction log that covers the topic, AMPS returns the saved state of the SOW as of that bookmark and starts a bookmark subscription at a point in the transaction log immediately after the point at which the SOW state was saved. In other words, if the granularity of the historical SOW preserves the state of the SOW at 11:30:10 AM and 11:30:50 AM, a request for a bookmark at 11:30:20 AM will provide the SOW state as of 11:30:10 AM, and begin the replay immediately after that SOW state. This ensures no messages are missed, but means that the subscription may begin before the bookmark.
CommandId	If specified with an AMPS command requesting an acknowledgement message, all <code>ack</code> messages will contain the <code>CommandId</code> in the acknowledgement message.
DataOnly	Only send raw data to subscriber for a matching <code>publish</code> message if <code>true</code> . For example: this will remove the SOAP envelop in an XML message.
Filter	Content filter expression.

Field	Description
Options	A comma separated list of flags available to the <code>sow_and_subscribe</code> command. Table 15 describes the options available.
OrderBy	Return the SOW results sorted by the specified fields. Fields are a comma-delimited list of AMPS identifiers, and may optionally include a sort specifier, <code>ASC</code> or <code>DESC</code> .
QueryId	Identifier used to identify the client's SOW topic query. This identifier will be added to all messages representing a response to the <code>sow_and_subscribe</code> command.
Send00F	Messages that have fallen out of focus from the subscription are sent to the client. Default is <code>false</code> .
SendKeys	Option to instruct AMPS that the client would like to receive the <code>SowKey</code> back.
SendSubscriptionIds	If <code>true</code> , subscription identifiers will be sent for a matched message.
SowKeys	A comma-delimited list of <code>SowKeys</code> that identify the messages to return from the query.
SubscriptionId	The subscription ID for this command. When provided with a new subscription, this is the identifier that AMPS will use for the subscription. When provided with the <code>replace</code> option, this field specifies the subscription to replace. When provided with a <code>pause</code> or <code>resume</code> option, this field specifies the subscriptions to pause or resume.  For a new subscription, the AMPS clients will generate a subscription ID if one is not provided.
TopN	Return up to the number of messages specified from the SOW query.
TransmissionTime	An ISO-8601 datetime used to note the time the message is sent by the client.

## Returns

AMPS will send acknowledgment messages for the following `AckType` fields: `received`, `processed` along with a populated `Status` header field describing the acknowledgment message.

If the `sow_and_subscribe` command is successful, AMPS will return a `group_begin` message to notify the client that a group of messages is being returned as part of the `sow` portion of the command.

The *SOW Queries* chapter in the *AMPS User Guide* will provide more information about SOW topic query behavior. Table 14 contains the `AckType` messages that can be returned by a `sow_and_subscribe`.

**Table 14. Acknowledgment messages supported by `sow_and_subscribe`**

Acknowledgment	Description
<code>none</code>	No ack message is returned. This is the default behavior.
<code>completed</code>	The <code>sow_and_subscribe</code> message has completed the <code>sow</code> portion of the command, and all future messages will be updated based on publishes.
<code>persisted</code>	Not supported at this time.
<code>processed</code>	AMPS has completed the work necessary to register the subscription and begin the SOW query.

Acknowledgment	Description
received	The <code>sow_and_subscribe</code> message has been received.
stats	Returns an <code>ack</code> message with <code>Matches</code> , <code>TopicMatches</code> and <code>RecordsReturned</code> .

The `stats` acknowledgment message includes three values in the header, the `Matches`, `TopicMatches` and the `RecordsReturned`. These are defined below:

**TopicMatches.** The total number of records compared across all matching SOW topics.

**Matches .** The number of records returned that match the topic regular expression and the content filter. This value can be greater than `RecordsReturned` in the case where the number of returned records is limited by `TopN`.

**RecordsReturned .** The total number of records returned to the client, which can be limited by the `TopN` header value.

## Options Field

Table 15 contains a list of the Options available and their definitions when used in the `AMPS sow_and_subscribe` command.

**Table 15. Options types supported by `sow_and_subscribe`**

Option	Description
none	This is the default Options type.
<code>conflation=n</code>	Specifies whether to conflate this subscription. The value provided can be a time interval, <code>auto</code> , or <code>none</code>  When present and set to a value other than <code>none</code> , enables conflation for the subscription.  Can also be set to <code>auto</code> , which requests that AMPS attempt to determine an appropriate conflation interval based on client consumption.  Recognizes the same time specifiers used in the AMPS configuration file (for example, <code>100ms</code> or <code>1s</code> or <code>1m</code> ).  Defaults to <code>none</code> .
<code>conflation_key=[keys]</code>	When <code>conflation</code> is enabled, specifies the fields to use to determine message uniqueness. The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to conflate based on the value of the <code>/tickerId</code> and <code>/customerId</code> within a message the value of this option would be <code>[/tickerId,/customerId]</code> .  Defaults to the SOW key fields for SOW topics. No default for non-SOW topics. This option is required for non-SOW topics.
<code>grouping=[keys]</code>	For use with aggregated subscriptions.  The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to aggregate entries based on their <code>/description</code> (producing one record in the aggregation for each distinct value in <code>/description</code> ), you would use the following option:



Option	Description
live	<p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>When this option is provided, a <code>projection</code> must also be provided. This option cannot be used with a bookmark.</p>
no_sowkeys	<p>Tells AMPS to send messages to subscribing clients before they have been persisted to the transaction log. This option is only valid for bookmark subscriptions.</p>
oof	<p>Tells AMPS not to send the AMPS-generated SowKey for messages.</p>
pause	<p>Send on OOF message for records which have fallen out of focus from the original subscription.</p>
projection=[ <i>fields</i> ]	<p>Pause a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. When this option is present, AMPS pauses the subscription or subscriptions provided in the <code>SubId</code> of the command.</p>
rate= <i>n</i>	<p>For use with aggregated subscriptions.</p> <p>Specifies a comma-delimited set of fields to project, within brackets. Each entry has the format described in the AMPS User Guide.</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>There is no default for this option. When this option is provided, a <code>grouping</code> must also be provided. This option cannot be used with a bookmark.</p>
replace	<p>Set the maximum message delivery rate for a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. The rate can be specified as either the number of messages per second (for example, 1000), the number of bytes per second (for example, 100KB), or a multiple of the original replay rate (for example, 1.5X).</p>
resume	<p>Replace the subscription associated with <code>CmdId</code> with another subscription. When provided as part of <code>sow_and_subscribe</code>, AMPS runs a SOW query for the new subscription.</p>
send_keys	<p>Resume a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. When this option is present, AMPS resumes the subscription or subscriptions provided in the <code>SubId</code> of the command.</p>
timestamp	<p>AMPS will send the SOW keys (that is, the data fields used to identify unique messages in the SOW) back with matching messages from the SOW.</p>
	<p>AMPS will include a header with the time at which AMPS processed the message.</p>

## Errors

Errors for a `sow_and_subscribe` query are either returned in the `Status` field if an `AckType` has been defined, or the errors may be inserted into the AMPS log.

## subscribe

### Description

The `subscribe` command is the primary way to retrieve messages from the AMPS processing stream. A client can issue a `subscribe` command on a topic to receive all published messages to that topic in the future. Additionally, content filtering can be used to choose which messages the client is interested in receiving.

### Header Fields

**Table 16. Header fields supported by `subscribe`**

Field	Description
Command	Command to be executed. Value: <code>subscribe</code> .
Topic	Topic to place a subscription against.
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> or <code>completed</code> .
Bookmark	A bookmark specifying the point in the transaction log at which to start the subscription. If the topic provided is not recorded in a transaction log, AMPS enters the subscription without replaying messages. You can provide a single bookmark, or a comma-delimited list of bookmarks. When a list is provided, AMPS starts the subscription at the earliest bookmark in the list.
CommandId	If specified with an AMPS command requesting an acknowledgment message, all requested acknowledgment messages will contain the <code>CommandId</code> in the <code>ack</code> response header.
DataOnly	A Boolean value ( <code>true</code> or <code>false</code> ) which, if <code>true</code> , will send only raw data to subscriber for a matching publish message. In the case where the message type is XML, the SOAP envelope will not be included.
Filter	A CDATA wrapped string, used as a content filter expression.
Options	A comma separated list of flags available to the <code>subscribe</code> command. Table 17 describes the Options available for use in the <code>subscribe</code> command.
SendSubscriptionIds	Boolean ( <code>true</code> or <code>false</code> ) that tells if <code>true</code> requests AMPS to send subscription identifiers with a matched message.
SubscriptionId	The subscription ID for this command. When provided with a new subscription, this is the identifier that AMPS will use for the subscription. When provided with the <code>replace</code> option, this field specifies the subscription to replace. When provided with a <code>pause</code> or <code>resume</code> option, this field specifies the subscriptions to pause or resume.

Field	Description
	For a new subscription, the AMPS clients will generate a subscription ID if one is not provided.
TopN	The maximum number of messages to provide from a bookmark subscription. This parameter is only valid for replay from the transaction log. This parameter is not valid if no bookmark is provided, if the provided bookmark is 0   1   (start from now), or if the command includes the <code>live</code> option.
TransmissionTime	An ISO-8601 datetime used to note the time the message is sent by the client.

## Options Field

Table 17 contains a list of the Options available and their definitions when used in the AMPS `subscribe` command.

**Table 17. Options types supported by `subscribe`**

Option	Description
<code>none</code>	This is the default Options type.
<code>conflation=<i>n</i></code>	<p>Specifies whether to conflate this subscription. The value provided can be a time interval, <code>auto</code>, or <code>none</code>.</p> <p>When present and set to a value other than <code>none</code>, enables conflation for the subscription.</p> <p>Can also be set to <code>auto</code>, which requests that AMPS attempt to determine an appropriate conflation interval based on client consumption.</p> <p>Recognizes the same time specifiers used in the AMPS configuration file (for example, <code>100ms</code> or <code>1s</code> or <code>1m</code>).</p> <p>Defaults to <code>none</code>.</p>
<code>conflation_key=[<i>keys</i>]</code>	<p>When conflation is enabled, specifies the fields to use to determine message uniqueness. The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to conflate based on the value of the <code>/tickerId</code> and <code>/customerId</code> within a message the value of this option would be <code>[/tickerId,/customerId]</code>.</p> <p>Defaults to the SOW key fields for SOW topics. No default for non-SOW topics. This option is required for non-SOW topics.</p>
<code>fully_durable</code>	<p>Tells AMPS to send messages to subscribing clients only after they have been persisted to the local transaction log and acknowledged by all downstream instances that use synchronous replication.</p> <p>This option is only valid for bookmark subscriptions.</p>
<code>grouping=[<i>keys</i>]</code>	<p>For use with aggregated subscriptions.</p> <p>The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to aggregate entries based on their <code>/description</code> (producing one record in the aggregation for each distinct value in <code>/description</code>), you would use the following option:</p>

Option	Description
live	<p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>When this option is provided, a <code>projection</code> must also be provided. This option cannot be used for bookmark subscriptions.</p>
max_backlog= <i>n</i>	Tells AMPS to send messages to subscribing clients before they have been persisted to the transaction log. This option is only valid for bookmark subscriptions.
no_sowkeys	When subscribing to a queue, the number of unacknowledged messages the client is willing to accept at a time. AMPS will not exceed this number, but may choose a smaller number depending on the queue configuration.
oof	Tells AMPS not to send the AMPS-generated SowKey for messages.
pause	Not supported by this command type.
projection=[ <i>fields</i> ]	<p>Pause a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. When this option is present, AMPS pauses the subscription or subscriptions provided in the <code>SubId</code> of the command.</p> <p>For use with aggregated subscriptions.</p> <p>Specifies a comma-delimited set of fields to project, within brackets. Each entry has the format described in the AMPS User Guide.</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>There is no default for this option. When this option is provided, a <code>grouping</code> must also be provided. This option cannot be used for bookmark subscriptions.</p>
rate= <i>n</i>	Set the maximum message delivery rate for a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. The rate can be specified as either the number of messages per second (for example, 1000), the number of bytes per second (for example, 100KB), or a multiple of the original replay rate (for example, 1.5X).
replace	Replace the subscription associated with <code>CmdId</code> with another subscription.
resume	Resume a bookmark subscription. This option is only valid for bookmark subscriptions that do not use the <code>live</code> option. When this option is present, AMPS resumes the subscription or subscriptions provided in the <code>SubId</code> of the command.
send_keys	Not supported by this command type.
timestamp	AMPS will include a header with the time at which AMPS processed the message.

## Returns

It is possible to specify a `processed` acknowledgment be sent back to the client that issued the `subscribe` command. Within this `processed` acknowledgment, a client can get back the result of placing the subscription (success or failure) and the `SubscriptionId`, which uniquely identifies the subscription within AMPS. Keeping track of the `SubscriptionId` is useful for unsubscribing from subscriptions and issuing SOW queries.

Table 18 contains a list of the supported acknowledgment messages available to the `subscribe` command.

**Table 18. Acknowledgment messages supported by `subscribe`**

<b>Acknowledgment</b>	<i>Description</i>
<code>none</code>	No acknowledgment message is returned. This is the default behavior.
<code>completed</code>	When a bookmark is present on the <code>subscribe</code> request and this acknowledgment is requested, AMPS sends a <code>completed</code> acknowledgment message to indicate that bookmark replay is complete. Further messages on this subscription are from new publishes.
<code>processed</code>	AMPS has completed the work necessary to register the subscription. When a bookmark is present and this acknowledgement is requested, this acknowledgement indicates that AMPS is about to begin replay.
<code>persisted</code>	When a bookmark is present and this acknowledgement is requested, AMPS periodically sends a <code>persisted</code> acknowledgement message to indicate the most recent bookmark in the server's transaction log.
<code>received</code>	The <code>subscribe</code> message has been received.

## Errors

Any errors that occur during this command will be returned in the status of a `processed` acknowledgment and logged to the log file. Regardless of success or failure, the `processed` acknowledgment will only be returned if requested by including `processed` in the `AckType` field.

## SOW

### Description

The `sow` command is use to query the contents of a previously defined SOW Topic. A `sow` command can be used to query an entire SOW Topic, or a filter can be used to further refine the results found inside a SOW Topic. For more information, see the *State of the World* and *SOW Queries* chapters in the *AMPS User Guide*

### Header Fields

**Table 19. Header fields supported by `sow`**

<b>Field</b>	<b>Description</b>
Command	Command to be executed. Value: <code>sow</code> .

Field	Description
Topic	The SOW topic from which the records will be queried.
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: none, received, processed, completed or stats
BatchSize	Number of records to return in a single sow query result message. While the default value is 1, it is recommended to use a higher BatchSize value, as even small increases can yield greater performance in query result delivery.
Bookmark	A bookmark specifying the historical state of the SOW to return results from. For SOW topics where historical query is enabled, AMPS returns the saved state of the SOW as of that bookmark. For SOW topics where historical query is not enabled, AMPS ignores this parameter.
CommandId	If specified with an AMPS command requesting an acknowledgment message, all requested acknowledgment messages will contain the CommandId in the ack response header.
Filter	Content filter expression. See the <i>Content Filtering</i> chapter in the <i>AMPS User Guide</i> for more information on using content filters.
OrderBy	Return the SOW results sorted by the specified fields. Fields are a comma-delimited list of AMPS identifiers, and may optionally include a sort specifier, ASC or DESC.
QueryId	Unique identifier which is returned as part of the response delivered back to the client.
SowKeys	A comma-delimited list of SowKeys that identify the messages to return from the query.
TopN	Return up to the number of messages specified from the SOW query.

## Options Field

Table 20 contains a list of the Options available and their definitions when used in the AMPS sow command.

**Table 20. Options types supported by sow**

Option	Description
none	This is the default Options type.
no_sowkeys	Tells AMPS not to send the AMPS-generated SowKey for messages.
grouping=[keys]	For use with aggregated SOW queries.  The format of this option is a comma-delimited list of XPath identifiers within brackets. For example, to aggregate entries based on their /description (producing one record in the aggregation for each distinct value in /description), you would use the following option:  This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.  When this option is provided, a projection must also be provided.

Option	Description
	When the SOW has History enabled, this option can be used with a bookmark to aggregate the historical state of the SOW.
oof	Send on OOF message for records which have fallen out of focus from the original subscription.
projection=[ <i>fields</i> ]	<p>For use with aggregated SOW queries.</p> <p>Specifies a comma-delimited set of fields to project, within brackets. Each entry has the format described in the AMPS User Guide.</p> <p>This option must contain an entry for every field in the aggregated message. If there is no entry for a field in this option, that field will not appear in the aggregated message, even if the field is in the underlying message.</p> <p>There is no default for this option. When this option is provided, a grouping must also be provided.</p> <p>When the SOW has History enabled, this option can be used with a bookmark to aggregate the historical state of the SOW.</p>
replace	Replace the subscription associated with CmdId with another subscription. When provided as part of sow_and_subscribe, AMPS runs a SOW query for the new subscription.
skip_n	Skips the number of messages specified before returning results. A command that provides this option must also provide a top_n option (or header) and an OrderBy header.
top_n	Return up to the number of messages specified from the SOW query.
send_keys	AMPS will send the SOW keys (that is, the data fields used to identify unique messages in the SOW) back with matching messages from the SOW.
timestamp	AMPS will include a header with the time at which AMPS processed the message.

## Returns

When a sow message is received, AMPS can return a received message as notification that the message has arrived. When the message filter has been processed, AMPS will return the processed acknowledgment message along with any errors that might have occurred.

The results returned by a SOW are put into a sow record group by first sending a group\_begin message, followed by the matching SOW records. A group\_end message is used to denote the close of query results processing.

Table 21 contains a listing of the acknowledgment messages supported by the sow command.

**Table 21. Acknowledgment messages returned by sow**

Acknowledgment	Description
none	No acknowledgment message is returned. This is the default behavior.
completed	The sow command has completed.
persisted	Not supported at this time.
processed	AMPS has compiled the filter(s) for the sow message.

Acknowledgment	Description
received	The <code>sow</code> command has been received.
stats	Returns statistics related to the state of the SOW query results.

The stats message include three values in the header: `Matches`, `TopicMatches`, and the `RecordsReturned`. These are defined below:

**TopicMatches.** The total number of records compared across all matching SOW topics.

**Matches.** The number of records returned that match the topic regular expression and the content filter. This value can be greater than `RecordsReturned` in the case where the number of returned records is limited by `TopN`.

**RecordsReturned.** The total number of records returned to the client, which can be limited by the `TopN` header value.

## Errors

Any errors which occur during a `sow` command are returned in the processed acknowledgement message. The error is identified in the `Status` header field in the acknowledgment message, and the reason given in the `Reason` header field.



The ordering of records returned by a SOW query is undefined.

## unsubscribe

### Description

The `unsubscribe` command allows a client to notify AMPS that it no longer wishes to receive messages related to a previous subscription.

There are two ways that a client can unsubscribe from an existing subscription:

1. Adding the `all` keyword to the `SubId` header field in the `unsubscribe` message will unsubscribe the client from all AMPS SOW topic subscriptions.
2. With each `subscription` command issued, AMPS will return a `SubId` with the processed acknowledgement message. Issuing an `unsubscribe` command using the same `SubId` header field which was returned as part of the original `subscribe` command's processed acknowledgement message will unsubscribe a client from a single subscription.

### Header Fields

Table 22. Header fields supported by `unsubscribe`

Field	Description
Command	Command to be executed. Value: <code>unsubscribe</code> .
SubId	Subscription ID entered in AMPS by the client when the original subscription was placed. AMPS accepts a single subscription ID or a com-



Field	Description
	<p>ma-delimited list of subscription ID. The keyword <code>all</code> can also be used to unsubscribe from all current subscriptions for the client. When both <code>SubId</code> and <code>QueryId</code> are provided, AMPS removes all matching subscriptions and SOW queries.</p> <p>This command requires at least one of the <code>SubId</code> or <code>QueryId</code> fields to be set.</p>
<code>QueryId</code>	<p>To cancel an in-progress SOW query, the unsubscribe command accepts the Query ID entered in AMPS by the client when the original <code>sow</code> command was placed. AMPS accepts a single query ID or a comma-delimited list of query IDs. When both <code>SubId</code> and <code>QueryId</code> are provided, AMPS removes all matching subscriptions and SOW queries.</p> <p>This command requires at least one of the <code>SubId</code> or <code>QueryId</code> fields to be set.</p>
<code>AckType</code>	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> or <code>persisted</code> .
<code>CommandId</code>	If specified within an AMPS command requesting an acknowledgment message, all requested acknowledgment messages will contain the <code>CommandId</code> in the <code>ack</code> response header.

## Returns

The `unsubscribe` command supports the `received` and `processed` acknowledgment message types, as described in Table 23.

**Table 23. Acknowledgment messages supported by `unsubscribe`**

Acknowledgment	Description
<code>none</code>	No acknowledgment message is returned. This is the default behavior.
<code>completed</code>	Not supported at this time.
<code>processed</code>	AMPS has processed the <code>unsubscribe</code> message(s).
<code>persisted</code>	Not supported at this time.
<code>received</code>	The <code>unsubscribe</code> message has been received.
<code>stats</code>	Not supported at this time.

## Removing Messages

### `sow_delete`

#### Description

In AMPS, there are three different ways to remove records from the SOW. The first method is to construct a `publish` message that matches the message to be removed, with the `Command` field set to be a `sow_delete` message.

This has the net effect of causing AMPS recreate the `SowKey` for the particular message, then look up the `SowKey` message in the SOW and finally remove it.

The other method to remove messages from the SOW is to construct a `sow_delete` message and pass in a comma separated list of `SowKeys` in the message header which will cause all of the messages to be removed from the SOW Topic.

The third way to remove records from the SOW is similar to the manner in which a `sow query` command with a `filter` is performed. In this case, instead of returning the results of the `sow` command, those records that match the filter will be deleted from the SOW.

## Header Fields

Table 24 contains the header fields supported by a `sow_delete`.

**Table 24. Header fields supported by `sow_delete`**

Field	Description
Command	Command to be executed. Value: <code>sow_delete</code> .
Topic	The SOW Topic from which to delete the messages(s).
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>received</code> , <code>processed</code> , <code>persisted</code> , <code>completed</code> and <code>stats</code> .
CommandId	If specified with an AMPS command requesting an ack, all requested acknowledgment messages will contain the <code>CommandId</code> in the acknowledgment message header.
SowKeys	A comma separated list of unique ids to be deleted. AMPS uses these ids to locate and remove the specified records. Notice that these values are the internal ID used by AMPS -- the <code>SowKey</code> -- and not the value of a field in the message. To use the values of fields in the message to locate the records to remove, use a <code>Filter</code> or <code>Data</code> .
Filter	Content filter expression. See the <i>Content Filtering</i> chapter in the <i>AMPS User Guide</i> for more information on using content filters. When provided, AMPS removes the matching records.
Data	Message data that identifies the record to be removed. When provided, AMPS uses this <code>Data</code> to look up the record that would be updated were this command a <code>publish</code> . AMPS then deletes that record.
Bookmark	Processed when the <code>sow_delete</code> command is acknowledging a message from a queue. When this option is used, the message must have been provided from a message queue, and the <code>SowKeys</code> and <code>Filter</code> headers may not be used.
Options	Available when the <code>sow_delete</code> command is acknowledging a message from a queue. When a value of <code>cancel</code> is provided in this field, the message is returned to the queue and made available to other subscribers.



The `SowKeys`, `Filter`, `Data` and `Bookmark` header fields cannot be used together. They are mutually exclusive. Using them together in the same `sow_delete` command will cause indeterminate results.

## Returns

For a `sow_delete` message, AMPS will send acknowledgment message, `completed` and `stats` for the following acknowledgment message types: `received`, `processed` and `persisted` along with a populated `Status` header field describing the acknowledgment.

**Table 25. Acknowledgment messages types supported by `sow_delete`**

Acknowledgment	Description
<code>none</code>	No acknowledgment message is returned. This is the default behavior.
<code>completed</code>	Supported for a <code>sow_delete</code> with a <code>Filter</code> defined. The <code>completed</code> acknowledgment message is returned when the query portion of the command has completed.
<code>persisted</code>	When an AMPS engine returns an acknowledgment message of <code>persisted</code> this guarantees that <ol style="list-style-type: none"> <li>1. All downstream synchronous replication(s) have acknowledged that the message(s) have been deleted from their respective SOW topic(s).</li> <li>2. The <code>sow_delete</code> message has been sent to all available downstream asynchronous replications.</li> </ol>
<code>processed</code>	AMPS has compiled the filter(s) for the <code>sow_delete</code> messages.
<code>received</code>	The <code>sow_delete</code> message has been received.
<code>stats</code>	Returns an acknowledgment message with <code>Matches</code> , <code>TopicMatches</code> and <code>RecordsDeleted</code> .

The `stats` acknowledgment message include three values in the header, the `Matches`, `TopicMatches` and the `RecordsDeleted`. These are defined below:

**TopicMatches.** The total number of records compared across all matching SOW topics.

**Matches.** The number of records returned that match the topic regular expression and the content filter.

**RecordsDeleted .** The total number of records deleted.

## Errors

Errors that occur during a `sow_delete` are returned as part of the `processed` acknowledgment message and recorded to the log. Typical errors involved a missing topic, or a missing/invalid `SowKey`.

## Utility Commands

### flush

#### Description

Sends a command to AMPS that returns an acknowledgement when all previous commands from this client have been processed. This command helps applications that use AMPS determine when AMPS has received all of the messages that have been sent, making it safe for the client to exit.

#### Header Fields

Table 26 contains the header fields available to a `flush` command.

**Table 26. Header fields supported by `flush`**

Field	Description
Command	The command to be executed. Value: <code>flush</code> .
ClientName	A string identifier used to give a client a unique id.
AckType	Acknowledgment type for the given command. Value is a comma separated list of one or more of the following: <code>none</code> , <code>completed</code> or <code>processed</code> .

#### Returns

A `flush` message specifying an `AckType` of `completed` or `processed` will receive an `ack` message when all previous messages from this client have been processed by AMPS.

Table 27 contains the acknowledgment messages that can be returned by a `logon` command.

**Table 27. Acknowledgment messages supported by `logon`**

Acknowledgment	Description
<code>none</code>	No <code>ack</code> message is returned. This is the default behavior.
<code>completed</code>	All previous commands have been processed by AMPS.
<code>persisted</code>	Not supported at this time.
<code>processed</code>	AMPS has processed the <code>flush</code> message.
<code>received</code>	The <code>flush</code> command has been received.
<code>stats</code>	Not supported at this time.

## heartbeat

### Description

Sends a command to AMPS that starts or refreshes a heartbeat timer. When a heartbeat timer is active, AMPS publishes periodic heartbeat messages to AMPS and expects the client to respond with a heartbeat message. If the client does not provide a heartbeat within the time specified, AMPS logs an error and disconnects the connection.

### Header Fields

Table 28 contains the header fields available to a `heartbeat` command.

**Table 28. Header fields supported by heartbeat**

Field	Description
Command	The command to be executed. Value: <code>heartbeat</code> .
Options	Specifies whether this command starts the timer or refreshes the timer. Valid options are: <ul style="list-style-type: none"> <li><code>start</code>, immediately followed by an interval. This option specifies that the command starts a timer, and sets the interval at which AMPS will expect heartbeat messages. For example, to specify an interval of 5 seconds, the option is <code>start,5</code></li> <li><code>beat</code>. This option specifies that the command refreshes the heartbeat timer.</li> </ul>

### Returns

The `heartbeat` message does not typically request an acknowledgement, and therefore does not receive a response. The command can, however, request acknowledgements as listed below.

**Table 29. Acknowledgment messages supported by heartbeat**

Acknowledgement	Description
<code>none</code>	Not supported at this time.
<code>completed</code>	Not supported at this time.
<code>parsed</code>	Not supported at this time.
<code>persisted</code>	Not supported at this time.
<code>processed</code>	AMPS has processed the <code>heartbeat</code> message.
<code>received</code>	AMPS has received the <code>heartbeat</code> message.
<code>stats</code>	Not supported at this time.

## Response Messages

## Content Messages

AMPS provides three types of message that contain message content

- `publish` messages return data from a topic as it is published, in order, whether the data is being published live, or is the result of a replay
- `sow` messages return data from a SOW query. These messages return the state of messages that are current as of the time for the query. By default, the messages are returned without regard to the order in which the messages were published. A query can specify the order of the returned messages based on the data within the message by including the `OrderBy` header on the SOW query.
- `oof` messages indicate that a content message no longer matches a subscription. These messages are sent to a client in order.

### publish message

#### Description

AMPS returns a `publish` message to a client when a new message is published to AMPS that matches one of the subscriptions requested by the client. There are two ways that AMPS can generate publish messages:

- *Single-origin* messages. For subscriptions to topics where AMPS can identify a single source for a publish message, AMPS provides information from that publish message to the subscriber. This applies to subscriptions to unpersisted topics, SOW topics, and conflated topic replicas. This does not include subscriptions to views (or conflated topics based on views), since views provide the ability to join multiple topics and aggregate over multiple messages. For conflated topic replicas, the header information provided is the information provided with the message published to the subscriber. For messages produced by delta publish, AMPS will use the information provided on the delta publish except as noted in the table below.
- *Synthetic* messages. In some cases, AMPS must provide a message that is constructed by the server. This happens for views, and for status messages from AMPS.

AMPS provides different values in the header fields depending on the origin of the publish message. For synthetic messages, AMPS does not provide information on the origin of the message, since there may be multiple sources of the message or, in the case of status messages, no external source. Likewise, AMPS does not provide a `CorrelationId`, since that header is set by the publisher for a specific message.

#### Header Fields

Table 30 contains the header fields returned in a `publish` message.

**Table 30. Header fields returned in a `publish` response**

Field	Description
Command	Type of message. Always <code>publish</code> , as encoded by the protocol.
Topic	The topic the message was published to.
CorrelationId	A publisher-provided string that is passed, verbatim, to subscribers. If this header is not present, or the message is a synthetic message as described

Field	Description
	<p>above, subscribers receive no value for the <code>CorrelationId</code>. The contents of this header must consist of characters that are legal in Base64 encoding.</p> <p>For delta publishes, AMPS uses the <code>CorrelationId</code> of the delta publish if one is present. If no <code>CorrelationId</code> is present on the publish, AMPS uses the <code>CorrelationId</code> of the existing message, if one is present. If there is no <code>CorrelationId</code> on the publish, and there is no <code>CorrelationId</code> for the existing message, AMPS does not provide a <code>CorrelationId</code>.</p>
<code>UserId</code>	The <code>UserId</code> of the client that published the message. An authentication module may choose whether to allow subscribers to receive this information.
<code>SubIds</code>	<p>The set of subscription IDs that produced this message. When a message matches multiple subscriptions, AMPS may produce a list of subscription IDs for all matching subscriptions.</p> <p>This header is provided by AMPS. The AMPS Clients process this list and provide a single <code>SubscriptionID</code> for each message provided to message handlers.</p>
<code>Bookmark</code>	The bookmark assigned to this message, if the message was persisted to a transaction log.
<code>TransmissionTime</code>	An ISO-8601 datetime that notes the time the message was processed by AMPS. This header is included if the client requested transmission time for the subscription.
<code>LeasePeriod</code>	For messages received from a queue, the ISO-8601 datetime that indicates when the lease expires.
<code>SowKey</code>	If the message was from a topic that uses a SOW, the message includes the <code>SowKey</code> that AMPS uses to uniquely identify the message within the SOW.

## sow message

### Description

The `sow` message returns a record from the SOW. For more information, see the *State of the World* and *SOW Queries* chapters in the *AMPS User Guide*

### Header Fields

Table 31. Header fields supported by `sow`

Field	Description
<code>Command</code>	Type of message. Always <code>sow</code> , as encoded by the protocol.
<code>Topic</code>	The topic from which the records were produced.
<code>SowKey</code>	An AMPS-created identifier for this message.
<code>BatchSize</code>	The number of records returned in a single <code>sow</code> batch.
<code>Timestamp</code>	The time at which AMPS generated this message.

Field	Description
QueryId	The QueryId of the query that produced this message.
MsgLen	The length of the first SOW message in the data portion of this message.

## Data

The `sow` message contains data. The data for the message consists of up to `BatchSize` messages, formatted as expected by the protocol. Each message contains its own header, with the following fields:

**Table 32. Header fields for messages in `sow` data**

Field	Description
SowKey	An AMPS-created identifier for this message.
CorrelationId	A user-provided string that will be passed, verbatim, to subscribers. If this header is not present on the SOW record, subscribers receive no value for the <code>CorrelationId</code> . The contents of this header must consist of characters that are legal in Base64 encoding.
MsgLen	The length of the next SOW message in the data portion of this message.

## oof message

### Description

The `oof` message indicates that a previously-received message is no longer in focus. For more information, see the *State of the World* and *SOW Queries* chapters in the *AMPS User Guide*

### Header Fields

**Table 33. Header fields provided in `oof`**

Field	Description
Command	Type of message. Always <code>oof</code> , as encoded by the protocol.
Topic	The topic which contained the message that has gone out of focus.
SowKey	An AMPS-created identifier for the message that has gone out of focus.
Reason	The reason the message has gone out of focus. Valid reasons include <code>deleted</code> , <code>expired</code> , <code>filter</code> , and <code>entitlement</code> .
SubIds	The Subscription Ids of the subscriptions that produced this message. The AMPS clients will provide this message to the handler registered for each of the subscriptions specified.
CorrelationId	A user-provided string that will be passed, verbatim, to subscribers. If this header is not present on the SOW record that was deleted, subscribers receive no value for the <code>CorrelationId</code> . The contents of this header must consist of characters that are legal in Base64 encoding.



## Data

The `oof` message contains the updated message that caused the message to go out of focus, except if the reason is entitlement.

## Ack Messages

AMPS provides `ack` messages to report the status of commands delivered to AMPS.

### ack message

#### Description

The `ack` message returns status information from AMPS.

AMPS does not create `ack` messages unless an acknowledgement is specifically requested. The exact meaning and content of `ack` messages depends on the command the requests the message. AMPS supports the following types of `ack` messages with the general semantics described below.

**Table 34. Types of `ack` message**

<b>ack Type</b>	<b>Meaning</b>
<code>completed</code>	An operation has completed.  For example, subscriptions that replay from the transaction log can produce a <code>completed</code> acknowledgement to indicate when transaction log replay has finished and further messages for the subscription are the result of new publishes.
<code>persisted</code>	Data has been persisted.
<code>processed</code>	AMPS has processed the command. Notice that, depending on the command, AMPS may not have executed the command when this acknowledgement is produced.
<code>received</code>	AMPS has received the command, but has not yet processed it.
<code>stats</code>	Statistics for the command. This acknowledgement is typically produced after the command has fully completed.

### Common Header Fields For Ack Messages

**Table 35. Header fields provided in `ack`**

<b>Field</b>	<b>Description</b>
<code>Command</code>	Type of message. Always <code>ack</code> , as encoded by the protocol.
<code>AckType</code>	The type of acknowledgment. One of <code>completed</code> , <code>persisted</code> , <code>processed</code> , <code>received</code> or <code>stats</code> .
<code>CommandId</code>	The <code>CommandId</code> that this <code>ack</code> refers to. Clients can use this field to correlate the <code>ack</code> returned with the command being acknowledged.

Field	Description
Status	The status of the command.
Reason	The reason for a failure status.

### Additional fields for logon

When the ack message is produced in response to a logon command, the following additional header fields may be set:

**Table 36. Additional ack headers for logon**

Field	Description
ClientName	The name of the client provided with the command.
SequenceId	The last SequenceId persisted to the transaction log for this client, as identified by the ClientName.
Bookmark	The last bookmark from this client.
UserId	UserId to use when the status is retry.
Password	Password to use when the status is retry.
Version	The version of the AMPS server.

### Additional fields for publish and delta\_publish

When the ack message is produced in response to a publish or delta\_publish command, the following additional header fields may be set:

**Table 37. Additional ack headers for publish or delta\_publish**

Field	Description
SequenceId	The last SequenceId persisted for this client.
Bookmark	The last Bookmark persisted for this client.

### Additional fields for subscribe and delta\_subscribe

When the ack message is produced in response to a subscribe or delta\_subscribe command, the following additional header fields may be set:

**Table 38. Additional ack headers for subscribe or delta\_subscribe**

Field	Description
SubId	The SubId sent with the command, or the SubId generated by AMPS if no SubId was provided. This field is not returned in processed acks.
Options	Returned when the command is a subscribe to a queue. Contains the following options:  max_backlog indicates the effective maximum backlog that the server has assigned for this subscription.

### Additional fields for unsubscribe

When the `ack` message is produced in response to a `unsubscribe`, AMPS does not provide additional header fields.

### Additional fields for `sow`, `sow_and_subscribe`, `sow_and_delta_subscribe`

When the `ack` message is produced in response to a `sow`, `sow_and_subscribe`, or `sow_and_delta_subscribe`, the following additional header fields may be set:

**Table 39. Additional ack headers for `sow`, `sow_and_subscribe`, `sow_and_delta_subscribe`**

Field	Description
SubId	The SubId sent with the <code>sow</code> command.
QueryId	The QueryId sent with the <code>sow</code> command.
RecordsReturned	The number of records returned by a SOW query. This header field is present on <code>stats</code> acknowledgements.
TopicMatches	The total number of records compared across all matching SOW topics. This header field is present on <code>stats</code> acknowledgements.
Matches	The number of records returned that match the topic regular expression and content filter. This header field is present on <code>stats</code> acknowledgements.

### Additional fields for `sow_delete`

When the `ack` message is produced in response to a `sow_delete` the following additional header fields may be set:

**Table 40. Additional ack headers for `sow_delete`**

Field	Description
QueryId	The QueryId sent with the <code>sow_delete</code> command.
RecordsDeleted	The number of records deleted by the command. This header field is present on <code>stats</code> acknowledgements.
TopicMatches	The total number of records compared across all matching SOW topics. This header field is present on <code>stats</code> acknowledgements.
Matches	The number of records returned that match the topic regular expression and content filter. This header field is present on <code>stats</code> acknowledgements.

### Additional fields for `stop_timer`

When the `ack` message is produced in response to a `stop_timer` the following additional header fields may be set:

**Table 41. Additional ack headers for `stop_timer`**

Field	Description
Data	The content of the message body. The message body can contain the following data:

Field	Description
	<ul style="list-style-type: none"> <li>• elapsed_time</li> <li>• mean</li> <li>• median</li> <li>• max</li> <li>• mean</li> <li>• nintieth</li> <li>• ninety_fifth</li> <li>• ninety_ninth</li> <li>• std_deviation</li> <li>• byte_count</li> <li>• match_count</li> <li>• publish_count</li> </ul>
TransmissionTime	An ISO-8601 date-time code indicating when the message is sent by the client. Used only if set on incoming message.
TopicMatches	The total number of records compared across all matching SOW topics. This header field is present on stats acknowledgements.
Matches	The number of records returned that match the topic regular expression and content filter. This header field is present on stats acknowledgements.

## Data

The ack message does not contain data.

## Query Delimiters

AMPS provides a pair of delimiters, `group_begin` and `group_end`, that indicate when a query batch begins and ends.

### group\_begin message

#### Description

The `group_begin` message marks the beginning of a set of records returned by a SOW query. For more information, see the *State of the World* and *SOW Queries* chapters in the *AMPS User Guide*

## Header Fields

**Table 42. Header fields provided in group\_begin**

Field	Description
Command	Type of message. Always group_begin, as encoded by the protocol.
QueryId	The QueryId of the query that produced this message.

## group\_end message

### Description

The group\_end message marks the end of a set of records returned by a SOW query. For more information, see the *State of the World* and *SOW Queries* chapters in the *AMPS User Guide*

### Header Fields

**Table 43. Header fields provided in group\_end**

Field	Description
Command	Type of message. Always group_end, as encoded by the protocol.
QueryId	The QueryId of the query that produced this message.

# 3. Protocol Reference

This section contains information on how different protocols represent AMPS headers. The AMPS clients handle constructing and parsing AMPS headers. However, understanding the format of command can be useful when inspecting trace level logs or network traffic captures.

## FIX/NVFIX protocol

### FIX/NVFIX Message Header - Sorted by Value

FIX/NVFIX Header Field	Name
20000	Command
20001	CommandId
20002	ClientName
20003	UserId
20004	TransmissionTime
20005	Topic
20006	Filter
20007	MessageType

<b>FIX/NVFIX Header Field</b>	<b>Name</b>
20008	AckType
20009	SubscriptionId
20011	Version
20012	Expiration
20013	SendSubscriptionIDs
20014	DataOnly
20015	Heartbeat
20016	TimeoutInterval
20017	LeasePeriod
20018	Status
20019	QueryID
20020	SendOutOfFocus
20021	LogLevel
20022	UseNamespaces
20023	BatchSize
20025	TopNRecordsReturned
20029	SendEmpty
20031	MaximumMessages
20032	SowKeys
20033	SendKeys
20034	Src
20035	CorrelationId
20036	Sequence
20037	Bookmark
20038	Password
20039	Options
20052	RecordsInserted
20053	RecordsUpdated
20054	RecordsDeleted
20055	RecordsReturned
20056	TopicMatches
20057	Matches
20058	MessageLength
20059	SowKey
20060	GroupSequenceNumber
20061	SubscriptionIds

<b>FIX/NVFIX Header Field</b>	<b>Name</b>
20062	Reason
20063	MessageID
20074	CorrelationID

## FIX/NVFIX Message Header - Sorted by Name

<b>FIX/NVFIX Header Field</b>	<b>Name</b>
20008	AckTyp
20037	BkMrk
20023	BtchSz
20002	ClntName
20000	Cmd
20001	CmdId
20035	CorrelationId
20014	DatOnly
20012	Expn
20006	Fltr
20017	GrcPrd
20060	GrpSqNum
20015	Hrtbt
20017	LeasePeriod
20021	LogLvl
20057	Matches
20063	MsgId
20058	MsgLen
20007	MsgTyp
20031	MxMsgs
20039	Opts
20038	PW
20019	Qld
20062	Reason
20054	RecordsDeleted
20053	RecordsInserted
20055	RecordsReturned
20036	Seq
20029	SndEmpty

<b>FIX/NVFIX Header Field</b>	<b>Name</b>
20033	SndKeys
20020	Snd00F
20013	SndSubIds
20059	SowKey
20032	SowKeys
20034	Src
20018	Status
20009	SubId
20061	SubIds
20016	TmIntvl
20025	TopN
20056	TopicMatches
20005	Tpc
20004	TxmTm
20022	UseNs
20003	UsrId

## XML Protocol

### XML Message Header - Sorted by Name

<b>XML Header Field</b>	<b>Name</b>
AckTyp	AckType
BkMrk	Bookmark
BtchSz	BatchSize
ClntName	ClientName
Cmd	Command
CmdId	CommandId
DatOnly	DataOnly
Expn	Expiration
Fltr	Filter
GrcPrd	GracePeriod
GrpSqNum	GroupSequenceNumber
Hrtbt	Heartbeat
LeasePeriod	LeasePeriod



<b>XML Header Field</b>	<b>Name</b>
LogLvl	LogLevel
Matches	Matches
MsgId	MessageID
MsgLen	MessageLength
MsgTyp	MessageType
MxMsgs	MaximumMessages
Opts	Opts
PW	Password
QId	QueryID
Reason	Reason
RecordsDeleted	RecordsDeleted
RecordsReturned	RecordsReturned
Seq	Sequence
SndEmpty	SendEmpty
SndKeys	SendKeys
SndOOF	SendOutOfFocus
SndSubIds	SendSubscriptionIDs
SowKey	SowKey
SowKeys	SowKeys
Status	Status
SubId	SubscriptionId
SubIds	SubscriptionIds
TmIntvl	TimeoutInterval
TopN	TopNRecordsReturned
TopicMatches	TopicMatches
Tpc	Topic
TxmTm	TransmissionTime
UseNS	UseNamespaces
UsrId	UserId

## AMPS/JSON Protocol

## AMPS Message Header - Sorted by Name

AMPS Header Field	Abbreviation	Name
ack_type	a	AckType
password	pw	Password
bookmark	bm	Bookmark
batch_size	bs	BatchSize
client_name		ClientName
cmd	c	Command
cmd_id	cid	CommandId
correlation_id	x	CorrelationId
data_only		DataOnly
expiration	e	Expiration
filter	f	Filter
gseq		GroupSequenceNumber
heartbeat		Heartbeat
leaseperiod	lp	LeasePeriod
matches		Matches
msg_len	l	MessageLength
max_msgs		MaximumMessages
opts	o	Opts
orderby		OrderBy
query_id		QueryID
reason		Reason
records_deleted		RecordsDeleted
records_inserted		RecordsInserted
records_returned		RecordsReturned
records_updated		RecordsUpdated
seq	s	Sequence
send_empty		SendEmpty
send_keys		SendKeys
send_oof		SendOutOfFocus
sow_key	k	SowKey
sow_keys		SowKeys
status		Status
sub_id		SubscriptionId
sids		SubscriptionIds

AMPS Header Field	Abbreviation	Name
src		Src
timeout_interval		TimeoutInterval
timestamp	ts	Timestamp
top_n		TopNRecordsReturned
topic_matches		TopicMatches
topic	t	Topic
use_ns		UseNamespaces
user_id		UserId
version	v	Version

## Header Fields - Reference

Name	Type	Definition
AckType	string	Acknowledgement type for the given command.
BatchSize	Integer. Default is 1 when not present.	Specifies the number of messages that are batched together when returning a query result.
Bookmark	string	A client-originated identifier used to mark a location in journaled messages.
ClientName	string	Used to identify a client. Useful for publishers that wish to identify the source of a publish, client status messages and for client heartbeats. Can be set with <code>logon</code> command.
Command	One of: <ul style="list-style-type: none"> <li>• <code>publish</code></li> <li>• <code>subscribe</code></li> <li>• <code>sow</code></li> <li>• <code>sow_and_subscribe</code></li> <li>• <code>sow_delete</code></li> <li>• <code>unsubscribe</code></li> <li>• <code>flush</code></li> <li>• <code>heartbeat</code></li> <li>• <code>start_timer</code></li> </ul>	Command to be executed.

Name	Type	Definition
	<ul style="list-style-type: none"> <li>• stop_timer</li> <li>• logon</li> </ul>	
CommandId	string	Client-specified command id. The CmdId is returned by the engine in responses to commands to allow the client to correlate the response to the command.
CorrelationId	string, base64 encoded characters only	Opaque token set by an application and returned with the message.
DataOnly	Boolean (true or false)	If true, only send raw data to subscriber for a matching publish message, i.e. do not include FIX/NVFIX envelope.
Expiration	integer (seconds)	SOW expiration time if used in publish.
Filter	string, should wrap in CDATA	Content filter expression.
GracePeriod	integer (milliseconds)	Grace period after heartbeat interval is exceeded before client is considered in error state.
GroupSequenceNumber	integer	Group Sequence Number returned with each batch message of a SOW response.
Heartbeat	one of: start, stop, beat	Heartbeat command.
LeasePeriod	timestamp	For messages from a queue, the time at which the lease expires.
LogLevel	one of: info, none	Set the log level.
Matches	integer	Returned in the acknowledgement to a SOW query that indicates number of matches.
MaximumMessages	integer greater than zero	Specifies the maximum number of messages within a batch publish.
MessageID	string, e.g. MAMPS-XYZ	Set by AMPS engine to tag every incoming message.
MessageLength	integer	Sent with XML formatted message data to indicate the number of bytes used by the message body.
MessageType	one of: xml, fix, nvfix	Message type.
Opts	string	A comma-delimited list of options on a specific command.
Password	string	Password used to authenticate with an AMPS server.
QueryID	string	SOW Query identifier set by client to identify a query.

<b>Name</b>	<b>Type</b>	<b>Definition</b>
Reason	string	The failure message that appears when an acknowledgement returns a status of failure.
RecordsDeleted	integer	Used in conjunction with the stats acknowledgement, this is the number of records deleted from the SOW with a sow_delete command.
RecordsInserted	integer	Used in conjunction with the stats acknowledgement, this is the number of records inserted into the SOW.
RecordsUpdated	integer	Used in conjunction with the stats acknowledgement, this is the number of records updated in the SOW.
RecordsReturned	integer	Returned in the acknowledgement to an SOW query that indicates number of records in the store.
SendEmpty	Boolean (true or false); default is true	If true, empty messages that are published will be forwarded to matching subscriptions.
SendKeys	Boolean (true or false)	Option to instruct AMPS that a client would like to receive the SowKey(s) back.
SendOutOfFocus	Boolean (true or false)	If true, Out-of-Focus messages are sent for the SOW query.
SendSubscriptionIDs	Boolean (true or false)	If false, subscription identifiers will not be sent for a matched message.
Sequence	integer greater than zero	An integer that corresponds to the publish message sequence number. For more information see the Replication section in the User Guide.
SowKey	string containing the digits of an unsigned long for AMPS-generated SOW keys  arbitrary string in the base64 character set for user-provided SOW keys	A SowKey will accompany each message returned in an SOW batch. A SowKey may also be added to messages coming in on a subscription when the published message matches a record in the SOW.  A publish command may contain a SOW key if the SOW for the topic is configured to accept user-provided SOW keys.
SowKeys	comma-separated list of SowKey values	Comma-separated list of SowKey values.
Status	one of: stopped, alive, timed out, error	Used to indicate client status when client is monitored for heartbeats.

---

<b>Name</b>	<b>Type</b>	<b>Definition</b>
SubscriptionId	string, e.g. SAMPS-XYZ	The subscription identifier set by server when processing a subscription.
SubscriptionIds	string	Comma-separated list of SubIds sent from AMPS engine to identify which client subscriptions match a given publish message.
TimeoutInterval	integer	Used in conjunction with the heartbeat interval to set the timeout interval for a publisher.
TopNRecordsReturned	unsigned integer	The number of records to return. Note: If TopN is not equally divisible by the BtchSz, then more records will be returned so that the total number of records is equally divisible by the BtchSz setting.
Topic	string	Topic
TopicMatches	integer	Returned in the acknowledgement to an SOW query that indicates number of topic matches.
TransmissionTime	ISO-8601 date-time	Transmission timestamp set by client.
UseNamespaces	Boolean (true or false)	Use SOAP XML namespaces in all messages from the AMPS engine.
UserId	string	Used to identify the user id of a command.
Version	string	Contains the version of the AMPS server.

---